


NOTES:

- WRITTEN DIMENSIONS ON THESE DRAWINGS SHALL HAVE PREFERENCE OVER SCALED DIMENSIONS.
- CONTRACTOR/SUPPLIER SHALL VERIFY AND BE RESPONSIBLE FOR ALL DIMENSIONS AND CONDITIONS OF THE JOB.
- OWNER MUST BE NOTIFIED IMMEDIATELY OF ANY VARIATIONS FROM THE DIMENSIONS AND CONDITIONS SHOWN IN THESE DRAWINGS.
- CONTRACTOR/SUPPLIER SHALL SUBMIT SHOP DRAWINGS AND PROTOTYPE TO OWNER FOR APPROVAL BEFORE PRODUCTION.
- SUPPLIER TO OBTAIN FIVE (5) YEAR'S WARRANTY CERTIFICATE AGAINST DEFECT IN PRODUCT AND WORKMANSHIP.

SPECIFICATIONS:

- 01 - ALUMINUM TOP / END CAP
- 02 - WORK TOP / COUNTER TOP
- 03 - CLASS PANEL (TOP PANEL)
- 04 - FABRIC PANEL (MID-PANEL)
- 05 - PERFORATED METAL PANEL (BOTTOM PANEL)
- 06 - METAL GRILLE PANEL (FOR IN AND OUT TRAYS)
- 07 - METAL IN AND OUT TRAYS
- 08 - END SUPPORT PANEL
- 09 - CORNER CONNECTOR POST
- 10 - BASE COVER / RACEWAY
- 11 - GROMMET CAP
- 12 - STORAGE BIN WITH TASK LIGHT
- 13 - HEAVY DUTY ADJUSTABLE FOOT GLIDES
- 14 - CONVENIENCE OUTLET
- 15 - MODESTY PANEL

CLASS D




SECTION 2


 <p>LAND BANK OF THE PHILIPPINES PROJECT MANAGEMENT & ENGINEERING DEPT. 1500 P.M.A. DEL PILAR ST., CORNER DK. QUARTER, MALATE, MANILA</p>	<p>LAND BANK STANDARD DETAILS & SPECIFICATIONS</p>	<p>RECOMMENDING APPROVAL</p> <p><i>[Signature]</i> MARCO D. SARAMEA HEAD, PMS</p>	<p>DESIGN: TSI/PMED</p> <p>DRAWN: TSI/PMED</p> <p>DATE: JULY 2020</p> <p>REVIEWED: J. DELASAL</p> <p>DATE:</p>	<p>SHEET NO.</p> <p>MC 7 OF 8</p>
	<p>TITLE</p> <p>MANAGER'S CUBICLE</p>	<p>DATE:</p>	<p>DATE:</p>	<p>DATE:</p>
	<p>DATE:</p>	<p>DATE:</p>	<p>DATE:</p>	<p>DATE:</p>
	<p>DATE:</p>	<p>DATE:</p>	<p>DATE:</p>	<p>DATE:</p>

C-16


CLASS D




IN AND OUT TRAYS




GROMMET CAP



HEAVY DUTY ADJUSTABLE FOOT GLIDES



RACEWAY



STORAGE BIN WITH TASKLIGHT

ACCESSORIES

DESCRIPTIONS

PANEL SYSTEM

-FOR SEGMENTED AND COMPOSITE PANELS INCLUDING THE ELECTRICAL AND DATA PORT ACCESS HEIGHT.

-COVER ALL PANEL HEIGHT SHALL BE 1700mm (SEE ATTACHED LAYOUT)

WIDTH

-WIDTH RANGING FROM 600mm, 750mm, 900mm, 1050mm, 1200mm and 1800mm (SEE ATTACHED LAYOUT)

THICKNESS

-PANEL THICKNESS SHALL BE GA. 16 COLD ROLLED METAL WITH A MINIMUM OF 62.5mm THK TO 75mm THK GLASS (TOP PANEL)

-DOUBLE GLASS WALL SHALL BE 6mm THK TEMPERED WITH 50mm THK ALUM. FRAME ON POWDER COATED FINISH

-ASSEMBLED THROUGH CLIP-ON CONNECTION

-COLOR: GRAY (SUBJECT FOR APPROVAL)

FABRIC (TOP/MID PANEL)

-PANEL FABRIC SURFACE AREA SHOULD BE REMOVABLE AND CAN FIT BACK IN PLACE

-ASSEMBLED THROUGH CLIP-ON CONNECTION WITH 6mm THK MDF TILE BACKING

-FABRIC COLOR: GRAY (SUBJECT FOR APPROVAL)

PERFORATED METAL (BOTTOM PANEL)

-METAL PANEL SHALL BE GA. 18 METAL SHEET ON POWDER COATED FINISH

-PANEL COLOR: GRAY (SUBJECT FOR APPROVAL)

FRAMES

-FRAMES SHALL BE GA. 18 (MIN) COLD ROLLED SHEET WITH NON-CORROSIVE PAINT FINISH

-FABRICATION SHALL BE LIGHT WEIGHT WITH HINGE DETAILS

-COLOR: GRAY (SUBJECT FOR APPROVAL)

CAPPING AND END TRIMS

-CAPPING SHALL BE ALUMINUM ON POWDER COATED FINISH

-PROVIDE HEAVY DUTY FOOT GLIDES FOR ALL PARTITIONS

-COLOR: GRAY (SUBJECT FOR APPROVAL)

METAL GRILLE PANEL

-PANEL SHALL BE GA. 18 (MIN) COLD ROLLED SHEET ON POWDER COATED FINISH

-PROVIDE SLOTS FOR IN AND OUT TRAYS

-COLOR: GRAY (SUBJECT FOR APPROVAL)

RACEWAY

-SHOULD BE ABLE TO ACCOMMODATE A MAXIMUM OF TEN (10) WIRES AND TEN (10) CABLES

-RACEWAY HEIGHT RANGING FROM 150mm TO 200mm WITH PROVISIONS FOR TWO (2) UNIVERSAL CONVENIENCE OUTLETS

ONE (1) DATA OUTLET, AND ONE (1) SPARE OUTLET FOR EVERY PANEL

IN AND OUT TRAYS

-TRAYS SHALL BE GA. 18 COLD ROLLED METAL SHEET ON POWDER COATED FINISH

-TRAY SLOTS TO BE FIRMLY ATTACHED TO METAL GRILLE FRAME

-COLOR: GRAY (SUBJECT FOR APPROVAL)

WORK SURFACE

-12mm THK MFC, HDF OR EQUIVALENT WITH 15mm THK HIGH PRESSURE LAMINATE (HPL) WITH T-MOULDING EDGES

-COLOR: LIGHT GRICE (SUBJECT FOR APPROVAL)

STORAGE BIN

-GA. 18 FORMED STEEL FULLY WELDED ASSEMBLY ON POWDER COATED FINISH



-COLOR: GRAY (SUBJECT FOR APPROVAL)

TASK LIGHT

-UNDER SHELF TASK LIGHT WITH COMPLETE ACCESSORIES, COVER AND ELECTRICAL WORKS

MODesty PANEL

-TRAY SHALL BE GA. 18 COLD ROLLED METAL SHEET ON POWDER COATED FINISH


 <p>LAND BANK OF THE PHILIPPINES PROJECT MANAGEMENT & ENGINEERING DEPT. 1188 M. R. DEL PILAR ST., GOVERNOR DR. QUINTOS ST., MALATE AREA</p>	TITLE	RECOMMENDING APPROVAL	DESIGN	ISSUED	SHEET NO.
	MANAGER'S CUBICLE	 ENRICO D. SINGSON TEAM LEAD	BRAND	ISSUED	<p>MC 8 OF 8</p>
	LANDBANK STANDARD DETAILS & SPECIFICATIONS		DATE	JULY 2020	
			REVIEWED	LIMSILANG	
		DATE			

17
e

NOTES:

- 1. ALL DIMENSIONS ON THESE DRAWINGS SHALL HAVE PRECEDENCE OVER ALL OTHERS.
- 2. CONTRACTOR/INSTALLER SHALL VERIFY AND BE RESPONSIBLE FOR ALL DIMENSIONS AND CONDITIONS OF THE JOB.
- 3. DIMENSIONS TO THE RIGHT OF DIMENSIONS OF ANY VARIATIONS FROM THE DIMENSIONS AND CONDITIONS SHOWN IN THESE DRAWINGS.
- 4. CONTRACTOR/INSTALLER SHALL SUBMIT SHOP DRAWINGS AND PROPOSALS TO PMO FOR APPROVAL BEFORE PRODUCTION.
- 5. SUPPLIER TO SUBMIT FIVE (5) YEARS WARRANTY CERTIFICATE AGAINST DEFECT IN PRODUCT AND WORKMANSHIP.


CLASS D



PERSPECTIVE

SPECIFICATIONS:

- 01 - 100% LOCAL PRODUCT
- 02 - WORK TOP CENTER TOP
- 03 - 18mm THICK AND PANELS
- 04 - BENT WITH INCLINABLE BOTTOM SHELF
- 05 - 18mm THICK PANELS WITH 18mm TOP
- 06 - 18mm THICK PANELS
- 07 - 18mm THICK PANELS
- 08 - 18mm THICK PANELS
- 09 - 18mm THICK PANELS
- 10 - 18mm THICK PANELS
- 11 - 18mm THICK PANELS
- 12 - 18mm THICK PANELS
- 13 - 18mm THICK PANELS
- 14 - 18mm THICK PANELS



PLAN



LANDBANK OF THE PHILIPPINES
PROJECT MANAGEMENT & ENGINEERING DEPT.

PROJECT: CASHIER / BSO WORKSTATION (TYPE 3)
LAND BANK STANDARD SPECIFICATIONS

NEED APPROVAL APPROVAL
DESIGNER: ENRICO D. SAMARCO
CHECKED: HENRY P. BEO
DATE: _____

PROJECT NO.: _____
DRAWN: _____
DATE: _____
REVISION: _____
DATE: _____
**CBBW
10F4**

C-18


NOTES:

- * ALL DIMENSIONS ON THESE DRAWINGS SHALL HAVE PRECEDENCE OVER SCHEMATIC DIMENSIONS.
- * CONTRACTOR SHALL VERIFY ALL DIMENSIONS AND CONDITIONS OF THE JOB.
- * OWNER MUST BE NOTIFIED IMMEDIATELY OF ANY VARIATIONS FROM THE DIMENSIONS AND CONDITIONS SHOWN IN THESE DRAWINGS.
- * CONTRACTOR SHALL SUBMIT SHOP DRAWINGS AND PROTOTYPES TO OWNER FOR APPROVAL BEFORE PROCEEDING.
- * SUPPLIER TO SUBMIT FIVE (5) YEARS WARRANTY CERTIFICATE AGAINST DEFECT IN FINISHES AND WORKMANSHIP.


SPECIFICATIONS:

- | | | | |
|----|----------------------------|----|-------------------------|
| 01 | MATERIALS TO BE USED | 08 | FINISHES TO BE USED |
| 02 | WORKMANSHIP TO BE USED | 09 | CONSTRUCTION TO BE USED |
| 03 | PAINTS TO BE USED | 10 | WORKMANSHIP TO BE USED |
| 04 | STAINLESS STEEL TO BE USED | 11 | WORKMANSHIP TO BE USED |
| 05 | FINISHES TO BE USED | 12 | WORKMANSHIP TO BE USED |
| 06 | FINISHES TO BE USED | 13 | WORKMANSHIP TO BE USED |
| 07 | FINISHES TO BE USED | 14 | WORKMANSHIP TO BE USED |

CLASS D



FRONT



LEFT SIDE



LANDBANK OF THE PHILIPPINES
PROJECT MANAGEMENT & ENGINEERING DEPT.

DATE	REVISIONS APPROVAL
DASHES / BSO WORKSTATION (TYPE 1)	<i>[Signature]</i> ENRIQUE T. SAMARTEGO HEAD PMED
LANDBANK STANDARD DETAILS AND SPECIFICATIONS	

DESIGN	DATE	BY
DESIGNED	06/15/2020	
REVIEWED	06/15/2020	
DATE		

**CBBW
2 OF 4**

C-19


NOTES:

- * ALL DIMENSIONS ON THESE DRAWINGS SHALL HAVE PRECEDENCE OVER SCALED DIMENSIONS.
- * CONTRACTOR/SUPPLIER SHALL VERIFY AND BE RESPONSIBLE FOR ALL DIMENSIONS AND CONDITIONS OF THE JOB.
- * CONTRACTOR/SUPPLIER SHALL VERIFY ALL WATER TIGHTNESS FROM THE DIMENSIONS AND CONDITIONS SHOWN IN THESE DRAWINGS.
- * CONTRACTOR/SUPPLIER SHALL SUBMIT SHOP DRAWING AND PROTOTYPE TO PABCO FOR APPROVAL BEFORE PRODUCTION.
- * SUPPLIER TO SUBMIT FIVE (5) YEARS WARRANTY LETTER AGAINST DEFECT IN PRODUCT AND WORKMANSHIP.

SPECIFICATIONS:

- | | |
|--|--------------------------------|
| 01 - ALL DIMENSIONS IN MILLIMETER | 08 - CRYSTAL CLEAR GLASS |
| 02 - FINISH SHALL BE POLISHED | 09 - 304 STAINLESS STEEL |
| 03 - FABRIC PANEL AND PANELS | 10 - BRASS HANDLE |
| 04 - FABRIC SHALL BE POLISHED | 11 - BRASS HANDLE WITH TYPICAL |
| 05 - 304 STAINLESS STEEL (SUS 304) SHALL BE USED | 12 - BRASS HANDLE WITH TYPICAL |
| 06 - BRASS HANDLE WITH TYPICAL | 13 - BRASS HANDLE WITH TYPICAL |
| 07 - BRASS HANDLE WITH TYPICAL | 14 - BRASS HANDLE WITH TYPICAL |

CLASS D



FRONT

RIGHT SIDE



LANDBANK OF THE PHILIPPINES
PROJECT MANAGEMENT & ENGINEERING DEPT.
1201 M. L. ROXAS BLVD. PASAY CITY, METRO MANILA



PROJECT: CASHIER/BSD WORKSTATION (TYPE 3)
DESIGNED BY: [Signature]
DATE: [Blank]
CHECKED BY: [Signature]
DATE: [Blank]

RECOMMENDING APPROVAL:
[Signature]
PROJECT ENGINEER
DATE: [Blank]

DATE: [Blank]
DATE: [Blank]
DATE: [Blank]

**CBBW
3 OF 4**

Handwritten mark



DESCRIPTIONS

CLASS D

PANEL SYSTEM:

HEIGHT:

WIDTH:

THICKNESS:

GLASS (TOP PANEL):

FABRIC (TOP/MID PANEL):

PERFORATED METAL (BOTTOM PANEL):

FRAMES:

CAPPING AND END TRIMS:

METAL DRILL PANEL:

RACEWAY:

IN AND OUT TRAYS:

WORK SURFACE:

HANDING SHELVES:

TASK LIGHT:

ACCESSORIES



LANDBANK OF THE PHILIPPINES
PROJECT MANAGEMENT & ENGINEERING DEPT.

CASHIER FSD WORKSTATION
(TYPE 3)

RECOMMENDED APPROVAL

ENRICO D. SAMARINO
HEAD BARD

DESIGN: _____

DESIGNED: _____

DATE: _____

REVIEWED: _____

DATE: _____

**CBBW
4 OF 4**


C-21

NOTES:

- WRITTEN DIMENSIONS ON THESE DRAWINGS SHALL HAVE PRECEDENCE OVER SCALED DIMENSIONS.
- CONTRACTOR/SUPPLIER SHALL VERIFY AND BE RESPONSIBLE FOR ALL DIMENSIONS AND CONDITIONS OF THE JOB.
- PMED MUST BE NOTIFIED IMMEDIATELY OF ANY VARIATIONS FROM THE DIMENSIONS AND CONDITIONS SHOWN IN THESE DRAWINGS.
- CONTRACTOR/SUPPLIER SHALL SUBMIT SHOP DRAWING AND PROTOTYPE TO PMED FOR APPROVAL BEFORE PRODUCTION.



PERSPECTIVE



SPECIFICATIONS

- 01 - ALUMINUM TOP/END CAP
- 02 - WORK TOP / COUNTER TOP
- 03 - FABRIC PANEL (MID-PANEL)
- 04 - PERFORATED METAL PANEL (BOTTOM PANEL)
- 05 - METAL GRILLE PANEL (FOR IN AND OUT TRAYS)
- 06 - METAL IN AND OUT TRAYS
- 07 - END SUPPORT PANEL
- 08 - CORNER CONNECTOR POST
- 09 - BASE COVER / RACEWAY
- 10 - GROMMET CAP
- 11 - HEAVY DUTY ADJUSTABLE FOOT GLIDES
- 12 - CONVENIENCE OUTLET

PLAN

C-12



LANDBANK OF THE PHILIPPINES
PROJECT MANAGEMENT & ENGINEERING DEPT.

1500 N. DEL PILAR ST. CORNER TANABANTON ST. M. LATE MANILA

TITLE

CLERICAL WORKSTATION

LANDBANK STANDARD DETAILS & SPECIFICATIONS

RECOMMENDING APPROVAL

ALEXANDER S. CAJALO

SE. TRUE HEAD PANEL

DESIGN: TSU-THIRD

DRAWN: P. PARRAS

DATE: March 2015

CHECKED: A

DATE:

SHEET NO.


CW
1 OF 4

NOTES:

- WRITTEN DIMENSIONS ON THESE DRAWINGS SHALL HAVE PRECEDENCE OVER SCALED DIMENSIONS.
- CONTRACTOR/SUPPLIER SHALL VERIFY AND BE RESPONSIBLE FOR ALL DIMENSIONS AND CONDITIONS OF THE JOB.
- PMED MUST BE NOTIFIED IMMEDIATELY OF ANY VARIATIONS FROM THE DIMENSIONS AND CONDITIONS SHOWN IN THESE DRAWINGS.
- CONTRACTOR/SUPPLIER SHALL SUBMIT SHOP DRAWING AND PROTOTYPE TO PMED FOR APPROVAL BEFORE PRODUCTION.

SPECIFICATIONS:


- | | |
|--|--|
| 01 - ALUMINUM TOP/END CAP | 07 - END SUPPORT PANEL |
| 02 - WORKTOP/BOUNTER TOP | 08 - CORNER CONNECTOR POST |
| 03 - FABRIC PANEL (MID-PANEL) | 09 - BASE COVER / RAVENA |
| 04 - PERFORATED METAL PANEL (BOTTOM PANEL) | 10 - BROMMET CAP |
| 05 - METAL GRILLE PANEL (FOR IN AND OUT TRAYS) | 11 - HEAVY DUTY ADJUSTABLE FOOT GLIDES |
| 06 - METAL IN AND OUT TRAYS | 12 - CONVENIENCE OUTLET |



FRONT

LEFT SIDE

C-13


	<p>LANDBANK OF THE PHILIPPINES PROJECT MANAGEMENT & ENGINEERING DEPT. 1998 M H DEL PILAR ST - CORNER DR. QUINTOS ST, MALAYALANG</p>	TITLE	RECOMMENDING APPROVAL	DESIGN PERFORMED	SHEET NO.
		CLERICAL WORKSTATION	<i>[Signature]</i> ST. XANDER'S LAZARO ACTING HEAD, PMED	LBARRM - 20423	<p>CW 2 OF 4</p>
		LANDBANK STANDARD DETAILS & SPECIFICATIONS	DATE: March 2015		
	CHECKED: <i>[Signature]</i>				
				DATE:	

NOTES:

- WRITTEN DIMENSIONS ON THESE DRAWINGS SHALL HAVE PRECEDENCE OVER SCALED DIMENSIONS.
- CONTRACTOR/SUPPLIER SHALL VERIFY AND BE RESPONSIBLE FOR ALL DIMENSIONS AND CONDITIONS OF THE JOB.
- PMED MUST BE NOTIFIED IMMEDIATELY OF ANY VARIATIONS FROM THE DIMENSIONS AND CONDITIONS SHOWN IN THESE DRAWINGS.
- CONTRACTOR/SUPPLIER SHALL SUBMIT SHOP DRAWING AND PROTOTYPE TO PMED FOR APPROVAL BEFORE PRODUCTION.

SPECIFICATIONS:

- 01 - ALUMINUM TOP / END CAP
- 02 - WORK TOP / COUNTER TOP
- 03 - FABRIC PANEL (MID PANEL)
- 04 - PERFORATED METAL PANEL (BOTTOM PANEL)
- 05 - METAL GRILLE PANEL (FOR IN AND OUT TRAYS)
- 06 - METAL IN AND OUT TRAYS
- 07 - END SUPPORT PANEL
- 08 - CORNER CONNECTOR POST
- 09 - BASE COVER / FINGERWAY
- 10 - GROMMET CAP
- 11 - HEAVY DUTY ADJUSTABLE FOOT GLIDES
- 12 - CONVENIENCE OUTLET



6124




LANDBANK OF THE PHILIPPINES
PROJECT MANAGEMENT & ENGINEERING DEPT.
1306 M.H. DEL Pilar St. CORNER DEL MUNICHO ST. MALATE, MANILA


TITLE	RECOMMENDING APPROVALS
CLERICAL WORKSTATION	<i>Alexander Soliman</i> ALEXANDER SOLIMAN ACTING HEAD, PMED
LANDBANK STANDARD DETAILS SPECIFICATIONS	

DESIGN	DESIGNED
DRAWN	DRAWN
DATE	1 March 2016
CHECKED	CHECKED
DATE	


SHEET NO.
CW
3 OF 4




IN AND OUT TRAYS



GROMMET CAP



HEAVY DUTY ADJUSTABLE FOOT GLIDES



RACEWAY (WITH 2 STANDARD CONVENIENCE OUTLET)

ACCESSORIES

DESCRIPTIONS

PANEL SYSTEM:

FOR SEGMENTED AND COMPOSITE PANELS INCLUDING THE ELECTRICAL AND DATA PORT ACCESS

HEIGHT:

OVERALL PANEL HEIGHT SHALL BE 1400mm (SEE ATTACHED LAYOUT)

WIDTH:

WIDTH RANGING FROM 600mm, 750mm, and 1500mm (SEE ATTACHED LAYOUT)

THICKNESS:

PANEL THICKNESS SHALL BE GA. 16 GOLD ROLLED METAL WITH A MINIMUM OF 0.2mm THK. TOP/5mm THK

FABRIC (TOP/MID PANEL)

PANEL FABRIC SURFACE AREA SHOULD BE REMOVABLE AND CAN FIT BACK IN PLACE

ASSEMBLED THROUGH SLIP ON CONNECTION WITH 9mm THK MDF TIE BACKING

COLOR: GRAY (SUBJECT FOR APPROVAL)

PERFORATED METAL (BOTTOM PANEL):

METAL PANEL SHALL BE GA. 12 METAL SHEET ON POWDER COATED FINISH

COLOR: GRAY (SUBJECT FOR APPROVAL)

FRAMES:

FRAMES SHALL BE GA. 18 (MIN) GOLD ROLLED SHEET WITH NON-CORROSIVE PAINT FINISH

FABRICATION SHALL BE LIGHTWEIGHT WITH FINE DETAILS

COLOR: GRAY (SUBJECT FOR APPROVAL)

CAPPING AND END TRIMS:

CAPPING SHALL BE ALUMINUM ON POWDER COATED FINISH

PROVIDE HEAVY DUTY FOOT GLIDES FOR ALL PARTITIONS

COLOR: GRAY (SUBJECT FOR APPROVAL)

METAL GRILLE PANEL:

PANEL SHALL BE GA. 18 (MIN) GOLD ROLLED SHEET ON POWDER COATED FINISH

PROVIDE SLOTS FOR IN AND OUT TRAYS

COLOR: GRAY (SUBJECT FOR APPROVAL)

RACEWAY:

SHOULD BE ABLE TO ACCOMMODATE A MAXIMUM OF TEN (10) WIRES AND TEN (10) CABLES

RACEWAY HEIGHT RANGING FROM 150mm TO 200mm

INCLUDE PROVISIONS FOR TWO (2) PHILIPPINE STANDARD CONVENIENCE OUTLET FOR EVERY PANEL

IN AND OUT TRAYS:

TRAYS SHALL BE GA. 18 GOLD ROLLED METAL SHEET ON POWDER COATED FINISH

TRAY SLOTS TO BE FIRMLY ATTACHED TO METAL GRILLE FRAME

COLOR: GRAY (SUBJECT FOR APPROVAL)

WORK SURFACE:

27mm THK MDF, HDF OR EQUIVALENT WITH 1.5mm THK HIGH PRESSURE LAMINATE (HPL) WITH 1.5mm ROUNDED EDGES

COLOR: LIGHT BEIGE (SUBJECT FOR APPROVAL)



LANDBANK OF THE PHILIPPINES
PROJECT MANAGEMENT & ENGINEERING DEPT.

ASSEMBLY DEL SILAK ST. CORNER DELA CRUZ ST. MARATHAAMBA

TITLE:

CLERICAL WORKSTATION

LANDBANK STANDARD DETAILS & SPECIFICATIONS

RECOMMENDING APPROVAL:

ALEXANDER S. SERRANO
ACTING HEAD OFFICE

DESIGN:

DRAWN:

DATE:

CHECKED:

DATE:

ISSUED:

REVISED:

March 2015

SHEET NO.

CW
4 OF 4


C 25

NOTES:


- WRITTEN DIMENSIONS ON THESE DRAWINGS SHALL HAVE PRECEDENCE OVER SCALED DIMENSIONS.
- CONTRACTOR/SUPPLIER SHALL VERIFY AND BE RESPONSIBLE FOR ALL DIMENSIONS AND CONDITIONS OF THE JOB.
- PMED MUST BE NOTIFIED IMMEDIATELY OF ANY VARIATIONS FROM THE DIMENSIONS AND CONDITIONS SHOWN IN THESE DRAWINGS.
- CONTRACTOR/SUPPLIER SHALL SUBMIT SHOP DRAWING AND PROTOTYPE TO PMED FOR APPROVAL BEFORE PRODUCTION.

SPECIFICATIONS:

- 01 - ALUMINUM TOP/END CAP
- 02 - WORKTOP/COUNTER TOP
- 03 - FABRIC PANEL (MID PANEL)
- 04 - PERFORATED METAL PANEL (BOTTOM PANEL)
- 05 - ADJUSTABLE HANG SHELF (FOR PRINTERS)
- 06 - END SUPPORT PANEL
- 07 - CORNER CONNECTOR POST
- 08 - BASE COVER/RACEWAY
- 09 - GROMMET CAP
- 10 - HEAVY DUTY ADJUSTABLE FOOT SLIDES
- 11 - CONVENIENCE OUTLET



PERSPECTIVE



PLAN

C-24



LANDBANK OF THE PHILIPPINES
PROJECT MANAGEMENT & ENGINEERING DEPT.
155 FAH DEL PILAR ST., CORNER SOR QUINTOS ST., MAKATI, MANILA

TITLE	RECOMMENDING APPROVAL
COMPUTER COUNTER	<i>[Signature]</i>
BY DRAWN: STANDARD DETAILS & SPECIFICATIONS	ALEXANDER S. LAZARO PROJECT ENGINEER

DESIGN	DATE
ASVP/PMED	March 2018
DRAWN	CHECKED
ASVP	<i>[Signature]</i>
DATE	


SHEET NO.
CC 1 OF 5

NOTES:

- WRITTEN DIMENSIONS ON THESE DRAWINGS SHALL HAVE PRECEDENCE OVER SCALED DIMENSIONS.
- CONTRACTOR/SUPPLIER SHALL VERIFY AND BE RESPONSIBLE FOR ALL DIMENSIONS AND CONDITIONS OF THE JOB.
- PMED MUST BE NOTIFIED IMMEDIATELY OF ANY VARIATIONS FROM THE DIMENSIONS AND CONDITIONS SHOWN IN THESE DRAWINGS.
- CONTRACTOR/SUPPLIER SHALL SUBMIT SHOP DRAWING AND PROTOTYPE TO PMED FOR APPROVAL BEFORE PRODUCTION.

SPECIFICATIONS:

- 01 - ALUMINUM TOP / END CAP
- 02 - WORK TOP / COUNTER TOP
- 03 - FABRIC PANEL (MID-PANEL)
- 04 - PERFORATED METAL PANEL (BOTTOM PANEL)
- 05 - ADJUSTABLE HANG SHELF (FOR PRINTERS)
- 06 - END SUPPORT PANEL
- 07 - CORNER CONNECTOR POST
- 08 - BASE COVER / RACE WAY
- 09 - GROMMET CAP
- 10 - HEAVY DUTY ADJUSTABLE FOOT GLIDES
- 11 - CONVENIENCE OUTLET



C-27



LANDBANK OF THE PHILIPPINES
PROJECT MANAGEMENT & ENGINEERING DEPT
1599 ANI, DEL PILARSA, CORNER DELA UNION ST., M. LATE, MANILA

TITLE	RECOMMENDING APPROVAL
COMPUTER COUNTER	<i>[Signature]</i> ALEXANDER S. LAZARO ACTING HEAD PMED
LANDBANK STANDARD DETAILS/SPECIFICATIONS	

DESIGN	ISSUED
DRAWN	DATE: March 2015
CHECKED	DATE:

SHEET NO
CC 20F5

NOTES:

- WRITTEN DIMENSIONS ON THESE DRAWINGS SHALL HAVE PRECEDENCE OVER SCALED DIMENSIONS.
- CONTRACTOR/SUPPLIER SHALL VERIFY AND BE RESPONSIBLE FOR ALL DIMENSIONS AND CONDITIONS OF THE JOB.
- EMED MUST BE NOTIFIED IMMEDIATELY OF ANY VARIATIONS FROM THE DIMENSIONS AND CONDITIONS SHOWN IN THESE DRAWINGS.
- CONTRACTOR/SUPPLIER SHALL SUBMIT SHOP DRAWING AND PROTOTYPE TO EMED FOR APPROVAL BEFORE PRODUCTION.

SPECIFICATIONS:

- 01 - ALUMINUM TOP / END CAP
- 02 - WORK TOP / COUNTER TOP
- 03 - FABRIC PANEL (MID PANEL)
- 04 - PERFORATED METAL PANEL (BOTTOM PANEL)
- 05 - ADJUSTABLE HANG SHELF (FOR PRINTERS)
- 06 - END SUPPORT PANEL
- 07 - CORNER CONNECTOR POST
- 08 - BASE COVER / RACEWAY
- 09 - GROMMET CAP
- 10 - HEAVY DUTY ADJUSTABLE FOOT GLIDES
- 11 - CONVENIENCE OUTLET



C-28



LANDBANK OF THE PHILIPPINES
PROJECT MANAGEMENT & ENGINEERING DEPT.
ESPERANZA DEL PILAR ST., CORNER ERIC TRINIDAD ST., MALATE MANILA

TITLE	RECOMMENDING APPROVAL
COMPUTER COUNTER	<i>[Signature]</i> ALEXANDER SUZARDO ACTING HEAD, PMEA
LANDBANK STANDARD DETAILS AS SPECIFICATIONS	



DESIGN	TS LUMINIS	SHEET NO. CC 3 OF 5
DRAWN	35470	
DATE	March 2016	
CHECKED	<i>[Signature]</i>	
DATE		

NOTES:

- WRITTEN DIMENSIONS ON THESE DRAWINGS SHALL HAVE PRECEDENCE OVER SCALED DIMENSIONS.
- CONTRACTOR/SUPPLIER SHALL VERIFY AND BE RESPONSIBLE FOR ALL DIMENSIONS AND CONDITIONS OF THE JOB.
- PMED MUST BE NOTIFIED IMMEDIATELY OF ANY VARIATIONS FROM THE DIMENSIONS AND CONDITIONS SHOWN IN THESE DRAWINGS.
- CONTRACTOR/SUPPLIER SHALL SUBMIT SHOP DRAWINGS AND PROTOTYPE TO PMED FOR APPROVAL BEFORE PRODUCTION.


SPECIFICATIONS:


- 01 - ALUMINUM TOP BEND CAP
- 02 - WORK TOP / COUNTER TOP
- 03 - FABRIC PANEL (MID PANEL)
- 04 - PERFORATED METAL PANEL (BOTTOM PANEL)
- 05 - ADJUSTABLE HANG SHELF (FOR PRINTERS)
- 06 - END SUPPORT PANEL
- 07 - CORNER CONNECTOR POST
- 08 - BASE COVER / FACEWAY
- 09 - GROMMET CAP
- 10 - HEAVY DUTY ADJUSTABLE FOOT GLIDES
- 11 - CONVENIENCE OUTLET




HANGING SHELF DETAIL

C-29


 <p>LANDBANK OF THE PHILIPPINES PROJECT MANAGEMENT & ENGINEERING DEPT. 1038 M.H. DEL PILAR ST., CORNER DR. QUINTOS ST., MALATE MANILA</p>	TITLE	RECOMMENDING APPROVAL	DESIGN	ISSUED	SHEET NO.
	COMPUTER COUNTER	<i>Alexander Lazara</i> ALEXANDER LAZARA ARCHITECT	DRAWN	2015	<p>CC 4 OF 5</p>
	LANDBANK STANDARD DETAILS & SPECIFICATIONS	DATE	CHECKED	GATE	




IN AND OUT TRAYS




GROMMET CAP



HEAVY DUTY ADJUSTABLE FOOT GUIDES



BASE WAY WITH STANDARD CONVENIENCE OUTLET



HANGING SHELVES FOR PRINTER

ACCESSORIES

DESCRIPTIONS

PANEL SYSTEM

FOR SEGMENTED AND COMPOSITE PANELS INCLUDING THE ELECTRICAL AND DATA PORT ACCESS

HEIGHT:

OVER ALL PANEL HEIGHT SHALL BE 1700mm (SEE ATTACHED LAYOUT)

WIDTH:

WIDTH RANGING FROM 600mm, 750mm, and 1500mm (SEE ATTACHED LAYOUT)

THICKNESS:

PANEL THICKNESS SHALL BE GA. 16 COLD ROLLED METAL WITH A MINIMUM OF 52mm THK TO 70mm THK

FABRIC (TOP/MID PANEL):

PANEL FABRIC SURFACE AREA SHOULD BE REMOVABLE AND CAN FIT BACK IN PLACE

ASSEMBLED THROUGH CLIP-ON CONNECTION WITH 8mm THK MDF-TILE BACKING

FABRIC COLOR: GRAY (SUBJECT FOR APPROVAL)

PERFORATED METAL (BOTTOM PANEL):

METAL PANEL SHALL BE GA. 16 METAL SHEET ON POWDER COATED FINISH

PANEL COLOR: GRAY (SUBJECT FOR APPROVAL)

FRAMES:

FRAMES SHALL BE GA. 16 (MIN) COLD ROLLED SHEET WITH NON-CORROSTIVE PAINT FINISH

FABRICATION SHALL BE LIGHTWEIGHT WITH FINE DETAILS

COLOR: GRAY (SUBJECT FOR APPROVAL)

CAPPING AND END TRIMS:

CAPPING SHALL BE ALUMINUM ON POWDER COATED FINISH

PROVIDE HEAVY DUTY FOOT GUIDES FOR ALL PARTITIONS

COLOR: GRAY (SUBJECT FOR APPROVAL)

METAL GRILLE PANEL:

PANEL SHALL BE GA. 16 (MIN) COLD ROLLED SHEET ON POWDER COATED FINISH

PROVIDE SLOTS FOR IN AND OUT TRAYS

COLOR: GRAY (SUBJECT FOR APPROVAL)

RACEWAY:

SHOULD BE ABLE TO ACCOMMODATE A MAXIMUM OF TEN (10) WIRES AND TEN (10) CABLES

RACEWAY HEIGHT RANGING FROM 100mm TO 200mm

INCLUDE PROVISIONS FOR TWO (2) PHILIPPINE STANDARD CONVENIENCE OUTLET FOR EVERY PANEL

IN AND OUT TRAYS:

TRAYS SHALL BE GA. 16 COLD ROLLED METAL SHEET ON POWDER COATED FINISH

TRAY SLOTS TO BE FIRMLY ATTACHED TO METAL GRILLE FRAME

COLOR: GRAY (SUBJECT FOR APPROVAL)

WORK SURFACE:


12mm THK MDF, HDF OR EQUIVALENT WITH 15mm THK HIGH PRESSURE LAMINATE (HPL) WITH Moulding Edges

COLOR: LIGHT BEIGE (SUBJECT FOR APPROVAL)

ADJUSTABLE SHELF:

GA. 16 FORMED STEEL FULLY WELDED ASSEMBLY ON POWDER COATED FINISH

COLOR: GRAY (SUBJECT FOR APPROVAL)

 <p>LANDBANK OF THE PHILIPPINES PROJECT MANAGEMENT & ENGINEERING DEPT. 1568 4TH DEL PILAR ST. CORNER 12C QUINTOS ST. MALATE MANILA</p>	TITLE	RECOMMENDING APPROVAL	DESIGN	SUPPLIED	SHEET NO.
	COMPUTER COUNTER	<i>(Signature)</i>	DRAWN	FRANCIS	<p>CC 5 OF 5</p>
	LANDBANK STANDARD DETAILS & SPECIFICATIONS	ALEXANDER S. BAZARO ACTING HEAD OFFICE	DATE:	March 2016	
		CHECKED:			
			DATE:		

CC-30