
Revised Annex



BRANCH OPERATION OFFICER (BOO) WORKSTATION

REVISIONDATE:

MANAGER'S CUBICLE

EXECUTIVE ASSISTANT (EA) WORKSTATION

SPECIAL CLIENTS

NEW ACCOUNTS COUNTER

CONNECTIONS AND EDGES SHALL BE NEAT AND SMOOTH.

DESCRIPTION/ SPECIFICATION


3MM THK ACRYLIC STAND

OPENING

3MM THK ACRYLIC WITH 100MM X 300MM

PERSPECTIVE

STANDARD ACRYLIC PROTECTIVE GUARD



STANDARD ACRYLIC PROTECTIVE GUARD

TITLE:

LANDBANK OF THE PHILIPPINES

PROJECT MANAGEMENT & ENGINEERING DEPT. 1598 M.H. DEL PILAR ST., CORNER DR. QUINTOS ST., MALATE, **ACRYLIC PROTECTIVE GUARD FOR** BANK FRONTLINERS (TYPICAL/STANDARD)

LANDBANK STANDARD DETAILS AND SPECIFICATIONS

DETAILS SPECIFICATIONS GENERAL NOTES

SHEET CONTENT:

DESIGN : **PMED** DRAWN PMED 16 FEB 202 DATE : J.MISLANG CHECKED: DATE :

SHEET NO: 2

a. SUPPLIER TO SUBMIT WARRANTY CERTIFICATE OF THREE (3) MONTHS AGAINST ANY DEFECT IN PRODUCT AND WORKMANSHIP FROM THE SUPPLIER.

NOTES/ TERMS OF REFERENCE:

ACRYLIC PROTECTIVE GUARD GENERAL

- b. SUPPLIER TO SUBMIT DETAILED DRAWINGS PRINTED ON A4 SIZE PAPER WITH THE SUPPLIER'S OFFICIAL LETTERHEAD AND MOCK-UP UNIT TO PMED FOR POST QUALIFICATION EVALUATION.
- c. SUPPLIER TO COORDINATE WITH THE END-USER ON THE SCHEDULE OF MOBILIZATION/ DELIVERY OF THE SAID ITEM.
- d. SUPPLIER IS RESPONSIBLE FOR THE VERIFICATION/ ADJUSTMENT OF DIMENSION BASED ON ACTUAL SITUATION.
- SUPPLIER TO SUBMIT (AS PART OF THE DOCUMENTARY REQUIREMENTS) TO PMED THE PHOTOS OF ACTUAL INSTALLED ITEMS. (CLOSE-UP AND FULL VIEW OF THE SAID ITEM)

CLASS D

MOUNTED SIGNS WITH ACRYLIC INSERTS

8"

R

10.5"

US DOLLAR EXCHANGE RATE

BUYING

P00.00

SELLING

P00.00

US DOLLAR EXCHANGE RATE

BUYING

P

SELLING

P


Artwork for printing

vicd Anny 0-33

MOUNTED SIGNS WITH ACRYLIC INSERTS

12"





Artwork for printing

œ

HYSA (Government/Private entity) Php Current Account - with ATM access) Php ESP Account Regular Savings Passbook (To earn interest - balance should be \$500) Dollar Passbook (SA) **Dollar Time Deposit** Current Account - Commercial Current Account - Regular Payroll Accounts (ATM) Regular ATM Savings INITIAL MINIMUM DEPOSIT AND MAINTAINING BALANCE Php Php Php Php 큠 1,000,00 20,000 10,000 10.000 5,000 5,000

10.5"

MAINTAINING BALANCE INITIAL MINIMUM DEPOSIT AND

Regulay ATM Savings Dollar Time Deposit Payroll Accounts (ATM) Regular Savings Passibook Jument Account - Regular jument Account - with ATM access) Php arrent Account - Commercial

Artwork for printing

3
Bench Merchandising Manual

NAMEPLATE (For Frontliners) Standee 1 - with customized inserts

6"

U

2.8"



CLOSED NEXT COUNTER PLEASE cuised Annex

REQUIREMENTS IN ACCOUNT OPENING

Individual Account

Any one (1) of the following photo bearing IDs: I. Two (2) pcs. I'xi" latest picture (not computer scanned)

- Passport (including those issued by foreign governments)
 Driver's Licence

- Police Clearance NBI Clearance
- Postal ID Voter's IID

- Barangay Certification
 GSIS UMID
- SSS Card Senior Citizen Card
- Searman's Book
- ACP/Immigrant Certificate of Registration
- Government Office and GOCC ID (e.g., AFP, HDMF IDs)
- DSWD Certification

ID issued by NCDA

- Company IDs issued by private entities or institutions registered with or supervised or regulated either by the
- Philhealth Insurance Carding Bayan

I

ı

o³

Corporate Accounts
(Please inquire from New Acounts Area)

ထ္ခ

PLEASE WRITE AT THE BACK OF THE CHECKS FOR CHECK

- PRINTED NAME
- SIGNATURE OVER THE PRINTED NAME
- COMPLETE ADDRESS

w 4

- CELLPHONE NUMBER TELEPHONE NUMBER/
- AT LEAST ONE (1) VALID ID

'n

o

ı 1

1 - - -

٤

33

Banch Merchandising Manual

d Annex D-41. Acrisco

o[‡]

ď

×

≤

2.5"

న

X

Revised Anncx 7-42

Sample Suction Cup Hook/Hanger

Sample Chain



- Specification:
- Size: 7/8" in diameter 2 pcs. (max per branch) Stainless steel hook Transparent silicon cup

34

Bench Merchandising Manual

-Ball diameter: 3/32" (2.4mm) - with two (2) key rings on both ends - Lenght: 12 inches

Stainless steel ball chain #3 (94 balls per

2 pcs. (max per branch)

Specification:





7

NEW ACCOUNTS

3.5

W

BASICS Size: 3.5" x 12" ш

THE COUNTER

RESTRICTED AREA

d Annex D-43 Revised

24
Bench Merchandising Manual


0


9

I

긶

o²





Rovised Annox 9-44

25
Banch Merchandising Manual

3"

FIRE EXTINGUISHER



FIRE EXIT

K







LADIES

N



GENTLEMEN

Revised Annex D-45

01

2.5"

PUSH


02

PULL

vised Annex

Р

3.09"



MOUNTED SIGNS WITH ACRYLIC INSERTS

8"

Q

CLEARING CUT-OFF TIME

LOCAL

10.5"

OO:OOPM
REGIONAL

00:00рм

CLEARING CUT-OFF TIME

LOCAL

REGIONAL


Artwork for printing


wised Annex D-47

30"

12"

LANDBANK Lucena Branch ATMs FIRST FLOOR Government Servicing Center Lending Center Property Valuation and Credit Information Department (PVCID) SECOND FLOOR THIRD FLOOR Accounting Center Field Legal Office COA Auditors





Notes:


Directory may vary per branch

Supplier shall customize directory layout per branch accordingly

Layered file of the design will be provided by CAD

35


Acrylic Poster Frames



- A) Size: Height 27" x width 21"
- B) Material: 3mm thick per clear acrylic; 6mm thick when overlapped
 C) Anchorage: With six (6) 15x40mm peg screws and screw caps
- (3 per side)
 D) Supplier shall provide one (1) prototype for approval of CAD prior to
- E) Actual material shall have no visible marks of glue and any other markings/stains

Acrylic A4 Poster and Brochure Holder

(For promotional and special notices)



Specification:

A) Material: 3mm molded clear acrylic

B) Holders' Size: To fit A4 size paper (for the poster holder/base)
To fit 4" x 8.5" brochure (for the brochure holder)

C) Actual material shall have no visible marks of glue and any other markings/stains

