



LANDBANK

SERVING
THE NATION

SUPPLEMENTAL/BID BULLETIN NO. 3
For LBP-HOBAC-ITB-GS-20230510-03

PROJECT : **Automated Teller Machine (Thru-the-Wall and Lobby-Type)
Inclusive of Four (4) Years Maintenance Support Services and
Spare Parts**

IMPLEMENTOR : **HOBAC Secretariat Unit**

DATE : **October 18, 2023**

This Supplemental/Bid Bulletin is issued to modify, amend and/or clarify certain items in the Bid Documents. This shall form an integral part of the Bid Documents.

Modifications, amendments and/or clarifications:

- 1) The bidder/s are encouraged to use the Bid Securing Declaration as Bid Security.
- 2) Responses to bidder's queries/clarifications per Annex J
- 3) The submission and opening of bids is re-scheduled on October 27, 2023 at 10:00 A.M. through videoconferencing using Microsoft (MS) Teams

ATTY. HONORIO T. DIAZ, JR.
Head, HOBAC Secretariat Unit

RESPONSES TO BIDDER'S QUERIES AND/OR SUGGESTIONS

DATE	October 12, 2023
PROJECT IDENTIFICATION NO.	ITB-GS-20230510-03
PROJECT NAME	485 ATM Units
PROPONENT UNIT/TECHNICAL WORKING GROUP	Branch Banking Support Department

ITEM NO.	PORTION OF BIDDING DOCUMENTS	QUERIES AND/OR SUGGESTIONS	LANDBANK's RESPONSES
1.	<p>Revised Annex D-5</p> <p>X.10. CAPABLE FOR UPGRADE TO ENABLE PROCESSING OF TRANSACTION VIA QR CODE (E.G. WITHDRAWAL)</p>	<p>May we know what is the intended transaction flow design related to QR:</p> <p>a. If LBP expects the ATM to scan a QR code from any medium (app, doc, etc), then you'll need to include a QR reader in your ATM config.</p> <p>b. If LBP expects a QR code to be displayed on the ATM screen for an app to scan it, then you don't need to include a QR reader in your ATM config.</p> <p>Kindly note also that all SW development costs and other possible related costs (deployment, infra, etc.) are not expected to be part of the bid.</p>	<p>The objective is to ensure that the ATMs that will be procured are QR ready.</p> <p>Please note that at the moment, the transaction flow design for this functionality has not yet been finalized by the Bank.</p> <p>Any development that will be required for this upgrade will be on a separate engagement.</p>
2.	<p>Revised Annex D-13</p> <p>Q.1. DIGITAL AND COLORED IMAGE MINIMUM OF 720P HD RESOLUTION</p>	<p>LBP changed the requirement from 480P to 720P</p>	<p>Yes, this revision was made during the 2022 ATM procurement and retained this year</p>
3.	<p>Revised Annex D-13</p> <p>C.3.9. COMPRESS/ZIP FOLDER AND PROTECTED BY PASSWORD. SHALL INCLUDE PASSWORD MAINTENANCE (EDIT MODULE). SEPARATE FOLDER FOR TRANSACTIONAL AND IDLE PERIODS</p>	<p>New requirement of separating folders for Transactional snapshot and Idle snapshot. We are not be able to do this. Instead, we are separating snapshots by camera.</p>	<p>If there is a separate folder for the Cash Taken images, it will be acceptable</p>

ANNEX J